

**General Virginia Stormwater Management Program (VSMP) Permit for Discharges of Stormwater from Small Municipal Separate Storm Sewer Systems (4 VAC 50-60-1200 et seq.) [Part XV] Regulatory Advisory Panel (RAP)**

House Room D, General Assembly Building, Richmond

Thursday, September 6, 2012; Meeting #5

10 a.m. to 3 p.m.

**AGENDA**

- 1) Welcome and Introduction
- 2) General Discussion of Meeting Materials, Expectations and Comments
- 3) Proposed Regulations
  - a. 4VAC50-60-10 Definitions
  - b. 4VAC50-60-1200 Definitions for Small MS4 GP
  - c. 4VAC50-60-1210-1220
  - d. 4VAC50-60-1230 Permit Application
  - e. 4VAC50-60-1240 General Permit
    - i. Special Conditions for Approved TMDLs other than Bay TMDL
    - ii. Special Conditions for Chesapeake Bay TMDL
    - iii. Minimum Control Measures
      1. Public Education and Outreach
      2. Public Involvement/Participation
      3. Illicit Discharge Detection Elimination
      4. Construction Site Runoff
      5. Post Construction
      6. Pollution Prevention/Good Housekeeping

(Break-Lunch)

- 4) Consensus Test on Whole Effort
- 5) Regulatory Process After RAP
- 6) Public Comment
- 7) Adjourn

Note: Information has been placed at <http://www.dcr.virginia.gov/lr3.shtml>